



CONSOLIDATED UNDRAINED TRIAXIAL TEST



Symbol	⊙	△	□	◇
Sample No.	S-2	S-2	S-2	S-2
Test No.	CU1	CU2	CU3	CU4
Depth	---	---	---	---
Initial	Diameter, mm	73.15	73.15	73.15
	Height, mm	152.4	153.7	154.9
	Water Content, %	26.0	25.3	24.8
	Dry Density, kN/m^3	14.81	14.77	14.71
	Saturation, %	89.2	86.1	83.7
	Void Ratio	0.788	0.793	0.8
Before Shear	Water Content, %	31.5	29.9	29.9
	Dry Density, kN/m^3	14.31	14.65	14.66
	Saturation*, %	100.0	100.0	100.0
	Void Ratio	0.85	0.807	0.806
Back Press., kPa	613.7	551.6	489.2	
Ver. Eff. Cons. Stress, kPa	23.84	143.2	239.3	
Shear Strength, kPa	90.39	118	128.5	
Strain at Failure, %	19.1	17	15.8	
Strain Rate, %/min	0.02	0.02	0.02	
B-Value	0.95	0.95	0.95	
Measured Specific Gravity	2.7	2.7	2.7	
Liquid Limit	0	0	0	
Plastic Limit	0	0	0	

YOUR COMPANY'S LOGO	Project: ABC	
	Location: Baxborough	
	Project No.: QA	
	Boring No.: S-1	
	Sample Type: Compacted	
	Description: Moist, brown clay with organics	
Remarks: ASTM, AASHTO, and BS Standard		